



东尼仪器  
TONY INSTRUMENTS

Tony International (HK) CO., LTD

No.809 the Center Point Business Center Dongzhong road, Guan cheng Zone, Dongguan City

Tel: 86-0769-89770663/23010657

website: [www.tony0769.com](http://www.tony0769.com) / <http://tonyhk.hk>

### General Test Method for Textile

Testing Item	AATCC	ASTM	BS	BS EN	ISO	DIN	JIS	M&S	IWS
<b>Color Fastness</b>									
Rubbing/ Croaking	8		1006 D02, X12	20105, D02, X12	105, D02, X12	54021	L0801, L0815, L0849 II, L0862, L1084	C8	TM 165
Light	16		1006 B02	20105 B02	105 B02	54004	L0842, L0843, L0888	C9	TM 5
Dry Heat Hot Pressing	117, 133		1006 P01, 1006 X11	20105 P01, 20105 X11	105 P01 105 X11	54060, 54022	L0879, L0850B	C13	
Washing	61 1A-5A		1006 C01-C06	20105 C01-C06	105 C01-06, C08, C09	54010, 54013, 54014	L0844	C4A, C5, C37	TM 7, TM 193, TM 250
Drycleaning	132		1006 D01	20105 D01	105 D01	54024	L0860, L0861	C5	M 173
Perspiration	15		1006 E04	20105 E04	105 E04	54020	L0848A	C7	TM 174, TM 175
Water, Sea Water, Chlorinated Water	107, 106, 162		1006 E01, 1006 E02,	20105 E01, 20105 E02,	105 E01, 105 E02,	54005, 54006, 54007, 54019	L0846, L0847, L0884	C6	TM 6

			1006 E03	20105 E03	105 E03				
Dimensional Stability to washing Test									
Shrinkage Or Growth	88B, 88C, 124, 130, 135, 142, 143, 150, 159, 179		4923, 5807	25077, 26330	5077, 6330	25077, 26330	L0217, L1018, L1042, L1072	P1, P1A, P3A, P12, P99, P99A, P134, C08, C09	TM 31
Strength Test									
Tensile		D751, D5034, D5035, D5081	1610, 3424	2576, 10002-2	1421, 5082	5122/1	L1096A, L1096B	P11, P12 P13,P14 P15A, P98	TM 4
Tearing		D1424	4253, 4468	13937	9290	53862	L1096D	P29	TM 172
Bursting		D3786	4768		2960		L1018A, L1093		TM 170
Seam Properties		D434, D1683	3329				L 1093, 1096		TM 117, 195
Construction Fabric Tests									
Fabric Weight		D3776	2471		3801	53854	L1096, L1018	P65	TM 13
Count of Yarn		D1059	2865		7211/5		L1018, L1096		
Performance Fabric Tests									
Abrasion & Pilling (Martindale Method)		D4966, D4970	3424, 5690	388, 530	5470	55863, 53865	L1096	P17, P19, P19B	TM 112, TM 196
Abrasion (Stoll jV Flex	119, 120	D3885, D3886,					L 1018, 1096		

method)		D3514							
Pilling (ICI Method), (Random Method)		D3512	5811			53867	L1076	P18	TM 152
Wrinkle Recovery (Angle Method)	66		3086	22313	2313		L1018, L1096	P22	
Air Permeability		D737	5636	9237	9237	53887	L 1096	53887	
Water Resistance (Hydrostatic)	127		2823		811	53886	L1092		
Water Repellency	22		3702	24920	4920		L 1092	P23	